



INDEX MAPS.

T.1N R.1W 2nd Mer.



The blue lines are the true boundary lines.

T.2N R.1W 2nd Mer.



The blue lines are the true boundary lines.

T^N 2 N^R N^o 1 W. 2nd Sec. 2nd Mer. Ind^a.

Ch. Lk.

The 2nd Meridian

North Continued the Meridian line on the East side of sec 36 T² N^R N^o 1 W. from the SE cor of Town 2 & 1

40.00 Set trap^y post for cor to 1/4 sec

80.00 Set trap^y mile post for cor. to sec 25 & 36 T² N^R N^o 1 W. Sand rich broken soil; Timber White Oak & Hickory

North Continued the 2nd Mer. on the East side of sec 25 T² N^R N^o 1 W. 2nd Mer.

40.00 Set trap^y post for cor to 1/4 sec

80.00 " " " " for cor to sec 24 & 25 T² N^R N^o 1 W. 2nd Mer. Sand & clay same

North Continued the 2nd Mer. on the East side of sec 24 T² N^R N^o 1 W.

40.00 Set trap^y post for cor to 1/4 sec

80.00 " " " " " " to sec 13 & 24 T² N^R N^o 1 W. 2nd Mer. Timber White, Gum, Cedar, &c underground Spruce.

North Continued the 2nd Mer. on the East side of sec 13 T² N^R N^o 1 W. 2nd Mer.

40.00 Set trap^y post for cor to 1/4 sec. touched the East side of a Barre 150 inches wide; Course S. W.

80.00 Set trap^y post for cor to sec 12 & 13 T² N^R N^o 1 W. Sand & clay same as last mile.

North Continued the 2nd Mer. on the East side of sec 12 T² N^R N^o 1 W. 2nd Mer.

40.00 Set trap^y post for cor to 1/4 sec

80.00 Set " " " " " " for cor to sec 11 & 12 T² N^R N^o 1 W. 2nd Mer. Sand & clay timber same
July 11th 1806

T^h 2nd MR N^o 177 2nd M^o

North Continued the 2nd M^o on the East side of
Sec 1 T 2 R 177 2nd M^o.

40.00 Set temporary post for cor to 1/4 Sec

80.00 " " " " " " T 2 R 177

South On the 2nd M^o East side of Sec 1 from the
Cor of T 2 R 177 2nd M^o. Bearing to the cor of

Truss 2 & 3 MR N^o 1 Post "W. Oak 10 in
dia beam S 88 E 17 links dash; under Log works 7th
" " N 66 W. 26 " "

40.00 Move the temporary 1/4 Sec post to true line for
cor to 1/4 Sec from which a W. Oak 20 in dia beam
T 32 R 186 distance 1000 ft. Oak 10 " " "
S 84 W 9 " "

80.00 Move the temporary mile post to cor to Sec.
1 & 12 T 2 R. from which a Sassafras 7
in dia beam S 88 E 10 links dash; under an Elm
8 " " " N 70 W. 8 " "

South Continued the 2nd M^o on true line; in the
East side of Sec 12 T 2 R 177 2nd M^o

40.00 Set temporary post on true line for cor to 1/4 Sec
from which a Poplar 12 in dia beam N 88 W 17
links dash; to a Elm. 15 " " " S 20 E 10

80.00 Set temporary post for cor to Sec 12 & 13 T 2 R.
177 on true line from which a Sugar tree
10 in dia beam S 82 E 14 links dash; to a Hickory
5 " " " S 79 W 17 " " July
12 1866

South Continued the 2nd M^o on true line East
side of Sec 13 T 2 R 177 2nd M^o

40.00 Set temporary post on true line for cor to 1/4 Sec
from which a W. Oak 8 in dia beam S 82 W 26 p

J. N. 2 N.R. No 17. 2nd Mer.

links dist; and a B Walnut 8 in dia bears
N10W. 27 links dist;

80.00 Set temp. post on true line for cor to cut 130
24 72 N.R. 17 from which a Buck 15 in
dia bears N34W 16 1/2 links dist; to a Walnut 10
" " 927 E. 21 " "

South Continued the 2nd Mer. on true line on the East
side of sec 24 J 2 N.R. 17. 2nd Mer

40.00 Set temp. post on true line for cor to 14 sec
from which a Hawtherry 7 in dia bears N21W
21 links dist; to a N. Walnut 21 " " " N16E
23 " "

80.50 Set the temp. post for cor to cut 24 & 25. J No
2 N.R. No 17 2nd Mer on true line from
which a Buck 7 in dia bears N84W. 8 links
dist to a Do 24 " " " N66E. 25 "
"

South Continued the 2nd Mer. on true line East
side of sec 25. J 2 N.R. No 17. 2nd Mer

40.00 Set the temp. post on the true line for cor to
14 sec from which a Maple 12 in dia bears
N12W 16 links dist; to a Oak 30 " " "
S89E. 24 " "

80.00 Set the temp. post at avor. dist; on true line
for cor to sec. 25 & 36 J 2 N.R. No 17. from
which a Buck 16 in dia bears S30E. 8 links
dist; to a Do 10 " " " N84E 15 "
"

South Continued the 2nd Mer on true line East side
of sec 36 J 2 N.R. No 17 2nd Mer

40.00 Set temp. post on true line for cor to 14 sec
from which a Buck 26 in dia bears N45E
20 links dist to a Do 10 " " " S12E 20

T No 2 N.R. No 1 W. 2nd Mer. Ind.

links dish;

'80.00 Set the temporary post for cor to Tms 1st
2+2 N 1 E + 1 W. From which a Buck 12
in dia bears N 55 W. 8 links dish; + A.R.
Buck 5 in dia bears N 5 E. 23 n a

Surveyed By Arthur Henric, L. S.

East Between Tms 1st 2 N.R. 1 W 2nd Mer
from the 1/4 sec post of Sec 34 T 2. N.R. 1 W
25.00 To a Brook 30 links wide; C. N.

40.00 Set the mile post from which a B Walnut
5 in dia bears N 73 W 17 links dish to Walnut
4 n a a S 1 E. 3 n a
This 1/2 mile over Rich Brook timbered land
mostly Spruce.

South Between Sec 26 + 27 T 2 N.R. No 1 W.
from the 1/2 mile post N of the Old Ind.
Boundary

40.00 Set a post for cor to Sec 26, 27. B 4 + 35
from which a Poplar 24 in dia bears N 69 W
1 1/2 links dish + a Buck 10 n a a N 76 E
22. n a This 1/2 mile over broken land;
Tinto Oak & c

South Between Sec 34 + 35 T 2 N.R. 1 W

20.50 To a Brook 10 links wide; Course S W.

32.70 To a Sugar 10 in dia at end of the line

40.00 Set a post for cor to 1/4 sec from which a Sugar
8 in dia bears N 30 E 5 links dish; under an Elm
4 n a a S 24 W 9 n a

62.25 To a Brook 15 links wide; Course West

81.85 Set a post for cor to Sec 34 + 35 T No 2 N
R No 1 W 5 Ch. E. of the mile post from
which a Buck 20 in dia bears N 19 W 43 Mo

T^{No} 2 N.R. No 177 2nd Mer Inds.

dist; and a Buck 24 in dia bears N 30 E 25 the
dist; This mile broken land timber Oak &c

East Between T^s 1 & 2 N.R. No 177 2nd Mer
from the 4th mile first cor offset 34 & 35
14.00 To a Buck 150 links in; corner N.W.
40.00 Set a post for cor to 1/4 sec from which a Buck
12 in dia bears S 87 W 21 links dist; to a Co
8 n n n N 8 E. 25 n n
80.00 Set a post for cor to sec 35 & 36 from
which a Buck 20 in dia bears S 28 W 3 links dist
under a W Walnut 20 n n n 88 W 47 n n
This mile over good farming lands Timber Buck
Sugar &c

East Continued the line between T^{owns} 1 & 2
40.00 Set a post for cor to 1/4 sec from which a Buck
15 in dia bears N 9 E. 7 links dist; under a Co
7 n n n S 45 W 17 n n
93.25 Set a post for cor of Towns 1 & 3 N.R. No 177
on the Mer. 7 ch. & 27 links dist North of the
Town cor. E. from which a Buck 10 in dia.
bears S 46 W 15 links dist; under a W Oak 20 n n
n N 64 E 11 n n This mile over broken
Rich soil; Some part brushy; Timber Hickory
under Buck

East Between T^{owns} 1 & 3 T^{No} 2 N.R. No 177
36.50 To a Hickory 20 in dia stands in the line
40.00 Set a post for cor to 1/4 sec from which a W Wal-
nut 10 in dia bears S 69 E 31 links dist; to a
Hickory 10 n n n N 60 E. 14 n n
69.35 To an No 20 in dia stands in the line
80.20 Set a post for cor to sec 1 & 12 on the East
Boundary 604 the North of the sec cor.
from which a Buck 24 in dia bears S 47 W 23

T^{No} 2 RR No 177 2nd Mer Ind.

links dish; under Hickory 20 in dia bears
N15 E 32 links dish; Good farming
lands

South Between Sec 11 & 12 T. 2 N. 2 RR No 177
2800 To a Buck 20 in dia stands in the line

4000 Set a post for cor to ~~Sec~~ Sec 11, 12, 13 & 14
from which a Buck 10 in dia bears N55 E
5 links dish; & also 26 in - - S 77
28 in - - Good farming lands; Timber
Sugar Buck Cedar Hickory & Oak.
under the Spruce woods

West Between Sec 11 & 14 on RR line T. 2 N. 2 RR

2200 To a N. corner 100 ft wide; corner North

4000 Set a temporary 1/4 sec post

8012 Intersected the N & S line 26 lbs North of
Sec cor Lands rolling Timber some

East Between Sec 11 & 14 on true line

4006 Set the temporary post at cor. with on true line
for cor to 1/4 sec from which a Buck 80 in
dia bears S39 E. 29 links dish; and also
Sugar 10 in dia bears N37 W 40 links dish;

8012 To a post cor of Sec 11, 12, 13 & 14

East Between Sec 12 & 13 T. 2 N. 2 RR 177

4000 Set a post for cor to 1/4 sec from which a
Hickory 5 in dia bears S177 W 77 links dish; & also
Sugar 10 in dia bears N62 W 10 in - -

7890 To an Elm 10 in dia stands in the line

8216 Set a post cor to Sec 12 & 13 on Range line
from which a Sugar 10 in dia bears N87 W
29 links dish; & also 15 in - - S34 W
30 in - - Intersected 273 links North
of the mile post; This mile cor good land

59
45

I No 2. N.R. No 1 of 2 near the end
underneath spine words

South Between Sec. 13 & 14 T 2. R 1 W.
425 To a Brook 100 yds wide; Course N.
4000 Set a post for cor to 1/4 sec from which a W.
Oak 20 in dia bears S. 6 miles dist; to a W.
Oak 15 " " " N 58 E 18 " "
8000 Set a post for cor to Sec. 13, 14, 23, & 24 from
which a Buck 24 in dia bears N 48 W. 4 1/2 miles
dist; to a Do 12 " " " N 48 E 14 "
" Sand gaps for farming similar the
same as last miles;

West Between Sec 14 & 23 T N. 2 N.R. No 1 W
4000 Set temporary post for cor to 1/4 sec
8000 Finding no sectional lines returned
West to the cor. without blasing

East ~~Between~~ between Sec. 13 & 24 T 2 N.R. 1 W
4000 Set a post for cor to 1/4 sec from which a Sugar
10 in dia bears S 77 W. 14 miles dist; to a Buck
8 " " " N 76 W 16 " "
4300 To a Brook 100 yds wide; S. N.
8000 " " " " " S.
8273 Set a post for cor to Sec. 13 & 24 in the N 1 S.
line 305 miles dist; North of the mile post
from which a Buck 10 in dia bears S 52 W
13 miles dist; to a N. Walnut 10 " " " N 8 E
28 " " Sand gaps same

South Between Sec. 23 & 24 T 2 N.R. 1 W
4000 Set a post for cor to 1/4 sec from which a Buck
8 in dia bears N 5 E 22 1/2 miles dist; to a Do
15 " " " N 51 E 22 " "
8000 Set a post for cor to Sec. 23, 24, 25 & 26 from
which a Buck 10 in dia bears N 72 W. 8 1/2 miles

T^N 2 N^R N^o 177 2nd Mer. Ind^a.

dist under a Hickory 20 in dia bears S35E 8
links dist; This mile over Hilly rich lands; Timber
made undergrowth the same Dec. 6 1806

East Between Sec. 24 & 25 T^N 2 N^R N^o 177
35.65 To a Poplar 40 in dia stands in the line

140.00 Set a post half mile past from which a Beech 10 in
dia bears S52W 17 links dist; also 10 -
" " S52E 12 " "

8225 Set a post for cor to Sec. 24 & 25 on the N^R
S line 272 links N of the mile post from which
a Sugar 10 in dia bears S58W 14 links dist;
also 6 " " N74E. 3 " "
This mile over Hilly lands

West Between Sec. 23 & 26 T^N 2 N^R N^o 177 on Random

4000 Set a temporary post for cor to 74 sec

8622 Intersect the N^R S line 430 links South
of the Section Corner This mile over trees Hills
brushy lands; Timber Oak, & Hickory

East Between Sec. 23 & 26 on true line

43.11 Set the temporary post on true line at the corner
dist for cor to 74 sec from which an Elm 10
in dia bears N62W 13 links dist; also 10
" " N12E. 21 " "

8622 To see cor

South Between Sec. 25 & 26 T^N 2 N^R N^o 177

4000 Set a post for cor to 74 sec from which a Sugar
15 in dia bears N46E. 26 links dist; also 8
" " N14W 9 " "

8000 Set a post for cor to Sec. 25 & 26 35 & 36
from which a Beech 10 in dia bears N57W 16
links dist; also 8 " " N34E 6
" " This mile very hilly; Timber Oak

T. N^o 2 N.R. N^o 177 2nd Mer. Ind.

Measures

West Between Sec. 26 & 35 T. N^o 2 N.R. N^o 177
 4000 Set temp. post for cor to 1/4 sec.
 4600 To a ~~tree~~ 12 inch diam. corner S. W.
 8613 To a the N & S line 423 Me S of Cor
 Land & of same

East ~~to the corner~~ On true line between Sec. 26 &
 35
 4306 Set the temp. post at the corner dish; on true
 line for cor to 1/4 sec from which a Sugar 15 in
 dia bears N 57° 37' true dish; to Gum 10 in
 " " N 48° 14' " "
 8613 To Sec Cor

West Between Sec. 27 & 34 T. N^o 2 N.R. N^o 177
 4000 Set temp. post for cor to 1/4 sec

South Between Sec. 35 & 36 T. N^o 2 N.R. N^o 177
 1025 To a N Oak 20 in dia stands in the line
 4000 Set post for cor to 1/4 sec from which a Gum
 15 in dia bears N 14° 23' the dish; a Sugar
 8 " " N 13° 18' " "
 7672 Set a post for cor to Sec. 35 & 36 on the S.
 Boundary of T. N^o 2 N.R. N^o 177 11 ch & 7
 links East of the mile post from which a
 Sugar 9 in dia bears N 28° 27' the dish;
 I will take the corner

East on all modern between Sec. 25 & 36
 4000 Set a Holly mile post from which a Beech 15
 in dia bears S 57° 27' true dish; to a 20
 " " N 74° 25' " "
 8225 To post cor of Sec. 25 & 36 on the N & S line
 350 links N. of Cor. The bearing of the mile post

T. No 2 N.R. No 17. 2nd Mer Ind.^o

no a Buck 10 in dia bears \$53⁷⁴ 7 links
dist; & a Sugar 10 n n n N17⁷⁴ 23 n
Dec. 7. 1806.

Surveyed by Arthur Kenner
Dep. Sur.

North Between Sec 33 & 34 T. No 2 N.R. No 17
30.10 To a Poplar 8 in dia stands in the line.
40.00 A Buck 12 in dia stands for cor to 14 Sec
78.50 To a Creek 75 the wide; Course West
80.00 Set a post for cor to sec. 27, 28, 33, & 34
T. No 2 N.R. No 17 from which a Sugar 10
in dia bears \$5⁷⁴ 7 links dist; & a Buck 10
in n n N85⁷⁴ 17 n n some creek
bottom; the balance upland 3rd rate.

North Between Sec. 27 & 28 T. No 2 N.R. No 17
40.00 Set a post for cor to 14 Sec from which a
Sugar 10 in dia bears \$20⁷⁴ 7 links dist; & a
Buck 8 n n n N38⁷⁴ 9 n n
48.50 To a Poplar 40 in dia stands in the line.
80.00 To a Sugar 12 in dia for cor to Sec. 21, 22, 27
& 28 Land 3rd rate Buck and Oak upland

North Between Sec. 21 & 22 T. No 2 N.R. No 17
66.3 To a B. Walnut 40 in dia stands in the line
40.00 Set a post for cor to 14 Sec from which a Sugar
12 in dia stands \$18 links dist; & a
12 n n n N10⁷⁴ 36 n n
56.50 To a Buck 24 in dia stands in the line
80.00 Set a post for cor to Sec. 15, 16, 21, & 22 T. No 2
N.R. No 17 Line runs exp a Run 5 the wide
Good Oak & Sugar land.

North Between Sec. 15 & 16 T. No 3 N.R. No 17

T. No 2 NR No 177. 2nd Mer. Ind. a.

- 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Gum 20
in dia bears N 68 W. 23 links dist; & a Buck 6
n n n S 36 W 14 n n
- 57.00 To a W. Oak 24 in dia stands in the line.
- 80.00 Set a post for cor to sec 9, 10, 15 & 16 T. No 2 NR.
No 177 from which a W. Oak 10 in dia bears
West 36 links dist; & a Hickory 20 n n n
S 45 W. 11 n n Winter Oak, Poplar, Sugar
& Sand flat ridge

- North Between Sec 32 & 33 T. No 2 NR No 177
- 24.30 To a W. Oak 24 in dia stands in the line.
- 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Sugar 14
in dia bears North 36 links dist; & a Buck 12
n n n S 70 E. 10 n n
- 55.65 To a Buck 18 in dia stands in the line.
- 75.70 To a Creek 150 links wide; Course West
- 80.00 Set a post for cor to sec 28, 29, 32, & 33 T. No 2 NR
No 177 from which a W. Locust 12 in dia bears S 47 W
18 links dist; and a W. Oak 12 n n n N 60 W
7 n n Sand 2nd; 3rd rate Buck & Oak up-
lands.

- North Between Sec 28 & 29 T. No 2 NR No 177
- 15.20 To a W. Walnut - in dia stands in the line.
- 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Gum 24
in dia bears N 22 E. 9 links dist; and a Ho -
n n n N 48 W 24 n n
- 80.00 Set a post for cor to sec 20, 21, 28, & 29 T. No 2 NR.
No 177 from which a Buck 14 in dia bears N 58 E
15 links dist; and a Ho 10 n n n N 71 W
27 n n Sand 3rd rate Buck and Oak hills

- North Between Sec 20 & 21 T. No 2 NR No 177
- 17.40 To a Buck 12 in dia stands in the line
- 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Buck 14

T N° 2 N.R. N° 177 2nd Mer Ind^a.

in dia bears South 158 links dist; No other tree
could be taken:

- 67.70 To a Haskberry 16 in dia stands in the line
80.00 Set a post for cor to Sec. 16, 17, 20, & 21 T. N° 2 N.
R. N° 177 from which a P. Oak 10 in dia bears
S 157°. 12 links dist; under Hickory 14 n n n
N 487° 12 n n Grude 3rd rate Hills
Timber 7 Bush Oak, & Saplings

North Between Sec. 16. & 17. T. N° 2 N.R. N° 177

- 24.50 To a Buck 12 in dia stands in the line
40.00 Set a post for cor to 1/4 Sec from which a Poplar
14 in dia bears North 27 links dist; & a Buck
9 n n n N 207° 30 n n
56.50 To a Red Oak 24 in dia stands in the line.
80.00 Set a post for cor to Sec. 8, 9, 16, & 17 from which
an Oak 30 in dia bears N 387°. 24 links dist; &
a W Oak 8 n n n N 10 E. 24 n n
Grude 3rd rate Hills; Timber 7 Bush Oak Saplings

North Between Sec. 8 & 9 T. N° 2 N.R. N° 177

- 16.00 To a Poplar 36 in dia stands in the line
40.00 Set a post for cor to 1/4 Sec. from which a
Poplar 12 in dia bears S 58 E. 35 links dist; & a
Sugar 10 n n n S 47°. 34 n n
Timber Poplar, Sugar Oak &c.

- 65.00 To an Excellent Spring in Sec 8.
80.00 Set a post for cor to Sec. 4, 5, 8, & 9 from which
a Sugar 9 in dia bears N 22 E. 14 links dist;
& a Ho 14 n n n N 567°. 20 n n
First rate lands Timber Oak, Poplar, & Sugar

North Between Sec. 4 & 5 T. N° 2 N.R. N° 177

- 20.00 To a Sugar 8 in dia stands in the line
40.00 Set a post for cor to 1/4 Sec in a Gum 10 in
dia

T. No 2 N.R. No 1 W. 2nd Mer. Ind.

N.R. No 1 W. from which a Buck 12 in dia bears
 N 6 E. 26 Units dist; and a L 13 a ~ ~
 S 3 E 25 ~ ~ First & 2nd rate Buck
 at hand:

North T. Between Sec. 17 & 18 T. No 2 N.R. No 1 W.

20.50 To a Poplar 30 in dia stands in the line

40.00 Set a post for cor to 1/4 sec from which at Buck 12
 in dia

50.10 To a Poplar 36 in dia stands in the line

80.00 Set a post for cor to Sec 7, 8, 17, & 18 from
 which a Buck 18 in dia bears N 50 W. 24 Units dist
 & a L 13 a ~ ~ S 3 E 25 ~ ~
 Lands 2nd rate Buck 16 ill

N 18 E From the S.E. cor of Town East of sec 34 in
 Strumand line

84.50 Set a post for cor to Sec 27 & 34 from which a
 Buck 8 in dia bears N 33 W 9 Units dist; & a
 L 8 a ~ ~ N 55 E. 27 ~ ~
 Lands 3rd rate Wells; Timber Oak & Buck

North T. Between Sec. 26 & 27 T. No 2 N.R. No 1 W.

25.20 To a Hickory 14 in dia stands in the line

40.00 Set a post for cor to 1/4 sec from which a Buck 10 in
 dia bears N 8 W 12 Units dist; & a L 6 a ~ ~
 S 70 W 12 ~ ~

55.20 To a Poplar 10 in dia stands in the line

80.00 Set a post for cor to Sec. 22, 23, 26 & 27 T. No 2 N.
 R. No 8 W. from which a N. Walnut 10 in dia bears
 N 30 W. 40 Units dist; and a Chestnut 8 ~ ~
 N 50 E. 10 ~ ~ Lands 2nd & 3rd rate Buck P
 Oak Wells;

N 18 E On Strumand line East of sec 26 T. No 2 N.R. 1 W.

84.50 To a post cor to Sec 23 & 26 T. 2 N.R. 1 W.

T. N^o 2 N.R. N^o 1 W. 2nd Mer. Indiana
Ch. Wm.

For Well lands Timber Beet. Oak, & Hick

East Between Sec. 23. & 26. T N^o 2 N.R. N^o 1 W
28.00 Set a post for cor to Sec. 23. & 26 T N^o 2 N.R. N^o 1 W
in a Hick 12 in dia for cor tree. Land given
Oak Hills;

North Between Sec. 22, & 23 T N^o 2 N.R. N^o 1 W
30.00 To a Sugar 8 in dia stands in the line
40.00 Set a post for cor to 1/4 sec from which a W. Oak
12 in dia stands N 2 E. 10 links dist; no other
tree taken;
80.00 Set a post for cor to Sec. 14, 15, 22, & 23. T N^o 2
N.R. N^o 1 W

West Between Sec. 27, & 34 T N^o 2 N.R. N^o 1 W
40.00 Set a post for cor to 1/4 from which a Beet 10 in
dia bears S 10 W. 10 links dist; & a Beet 8 in
" " N 79 W 24 " "
80.00 Intersected the N & S line at the post set for cor
to Sec. 27, 28, 33, & 34. First rate Beet replant

West Between Sec. 28. & 33 T N^o 2 N.R. N^o 1 W.
25.50 To a Crab 100 links wide; hence N. & S.
40.00 Set a post for cor to 1/4 sec from which a Beet 12
in dia bears South 6 links dist; and a do 16
" " " N 45 E 18 " "
44.00 Crossed the Crab again bearing S.W.
80.00 Intersected at the post on the N & S line for cor
28, 29, 32 & 33. Land steep hills and Crab
bottom Timber Beet and Oak,

West Between Sec. 29. & 32 T N^o 2 N.R. N^o 1 W
40.00 Set a post for cor to 1/4 sec from which a Beet 12 in dia
stands S 71 W 19 links dist; & a Buckeye 12 in
" " S 85 E. 25 " "

T. N^o 2 N.R. No. 1 W. 2nd Mer Ind^a.

66.50 To a break 150 linked miles; Dives under a Hill 70 feet high and breaks out again on the N+S line between Sep. 29. & 30

80.00 Intersection the N+S line at the post cor to Sep. 29. 30 31. & 32. Buck and Oak replanted; Low Hills

West Between Sep. 30. & 31 T. N^o 2 N.R. No. 1 W.

40.00 Set a post for cor to 1/4 sec from which a Buck 26 in dia beam N 60 E. 21 linked dist; to a L 14 n - - N 35 E 26 n - -

80.00 Intersection N+S line at the post on the Range line for cor to Sep. 30 & 31 R. 1 W. & 36. & 25 R. 2 W. Good farming lands; Buck replanted

West Between Sep. 22. & 27 T. N^o 2 R. No. 1 W.

40.00 Set a post for cor to 1/4 sec from which a Buck 14 in dia beam N 38 E. - linked dist to a L 11 n - - N 62 W. 35 n - -

80.00 Intersection the N+S line at the post for cor to Sep. 21. & 22, 27. & 28 Lands N^o rate Timber Buck Sugar tree &c line run down a dry branch

West Between Sep. 21. & 28. T. N^o 2 N.R. No. 1 W.

40.00 Set a post for cor to 1/4 sec from which a Sugar tree 12 in dia. stands S 78 W 26 linked dist; to a L 12 n - - N 85 W. 34 n - -

80.00 Intersection N+S line at the post set for cor to Sep. 20, 21, 28, & 29 Timber Buck & Oak replanted

West Between Sep. 21. & 29 T. N^o 2 N.R. No. 1 W.

40.00 Set a post for cor to 1/4 sec from which a Buck 28 in dia beam S 32 W 16 linked dist; to a L 18 n - - N 2 E. 27 n - -

80.00 Intersection the N+S line at the post set for cor to Sep. 19, 20, 29. & 30 T. N^o 2 N.R. No. 1 W.

59
53

T N° 2 N R N° 17. 2nd Mm. Ind.

*Lands 1st & 2nd rate hills; Timber Buck Oak, &
 Magalloway.*

West Between Dec. 17. & 20 T N° 2 N R N° 17
40.00 Set a post for cor to 1/4 sec from which a Sugar 9
in dia bears N 60 W 9 like ditch; and a Buck 10
u u u N 70 E 52 u u
80.00 Intersected the N & S line at the first set for cor to Dec
16, 17, 20, & 21 T N° 2 N R N° 17 Lands on
the last 1/4 fresh rate; The balance 3rd rate Hills
bare & bushy

West Between Dec. 8. & 17 T N° 2 N R N° 17.
40.00 To a Buck 12 in dia for cor to 1/4 sec
80.00 Intersected the N & S line at the first set for cor to
Dec. 7, 8, 17, & 18 T N° 2 N R N° 17
2nd rate Buck upland:

West Between Dec. 18. & 19 T N° 2 N R N° 17
40.00 Set a post for cor to 1/4 sec from which a Sugar
8 in dia bears N 30 E 26 links ditch; & a 20
10 u u N 82 E. 46 u u
80.00 Intersected the N & S line at the first set for cor to Dec
18 & 19. T N° 2 N R N° 17. and 13 & 24 T N° 2 N
R N° 27 Lands 3rd rate Hills; bushy a few
scattered Oaks

West Between Dec. 7 & 18 T N° 2 N R. 17 2nd Mm
40.00 To a Buck 12 in dia standard for cor to 1/4 sec
80.00 Intersected N & S line at the first set for cor to Dec.
7 & 18 T N° 2 N R N° 17. & Sep. 12 & 13. T N°
2 N R N° 27. Fresh rate Buck upland:

West On Between Dec. 6 & 7 T N° 2. N R N° 17
17.00 To a Buck 50 links wide; cleared
40.00 Set a post for cor to 1/4 sec from which a Buck 10 in -

T N° 2 N. 78 N° 177. 2nd Mer. Ind^a.

in die bears N 30 W. 20 links dist; & a Buck 9
 " " " N 3 W 11 " "

55.00 To a Creek 75 links wide; Course South.

80.00 Anticipated Range line cor to Sect. 6 & 7 T N° 2 N.
 R. N° 177 and Sec. 1 & 12 T N° 2 N. R. N° 277
 Will bound Timber Buck, Oak, and poplar

North Between Sect. 11 & 12 from Post on Truman's
 Line T N° 2 N. R. N° 177.

28.00 Set a post for cor to 1/4 Sec from which a R. Buck
 8 in die bears N 1 E 35 links dist; & a Buck
 30 " " " N 61 W 11 " "

32.00 To a Gum 12 in die stands in the line

69.00 Set a post for cor to Sect. 1, 2, 11, & 12 from which
 all Oak 24 in die bears N 52 W. 14 links dist; &
 a Dogwood 7 " " " S 70 E. 25 " "
 First rate Mill land Timber Oak, Buck &c

North Between Sect. 1 & 2. T N° 1 & 2. N. R. N° 177.

40.00 Set a post for cor to 1/4 Sec from which a Red Buck 8
 in die bears N 1 E. 35 links dist; and a Buck 30
 " " " N 61 W 11 " "

52.00 To a Gum 12 in die stands in the line

80.00 Set a post for cor to Sect. 1 & 2 35 & 36 T 2 & 3 N.
 R. N° 177 from which a Dogwood 7 in die bears
 N 59 W 21 links dist; & a B. Walnut 7 " " "
 N 76 E. 12 " "

East Between T 2 & 3 N. R. N° 177 and Sec. 36 & 1. For
 the first atom named

40.00 Set a post for cor to 1/4 Sec from which a Dogwood 7 in
 die bears S 32 W. 5 links dist; & an Elm 8 " "
 " " " N 66 E. 28 " "

53.00 Set a post for cor to Sect. 36 & 1 T 2 & 3 N. R. 177
 from which a Dogwood 8 in die bears S 24 E. 20
 links dist and a R. Buck 7 " " " N 48 W 25
 For residue See page 62

71
57

T^o N^o 2 N.R. N^o 177 2nd Me Indiana

West Between Towns 2 & 3. N.R. N^o 177 + Sec. 2 & 35
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which an Oak 11
 in dia bears N 70 E. 26 links dist; under a Cherry 18
 n n n S 53 W 4 n n
 80.00 Set a post for cor to Sec. 34 & 35 from which an
 Oak 14 in dia bears S 44 E. 6 links dist; under a
 R. Budo 7 n n n N 44 W 6 n n
 Lands 1st rate; Timber 13 W about Sugar Hackberry
 & Oak &c

West Between Towns 2 & 3. N.R. N^o 177 Sec. 3 & 34
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which an Elm 8 in
 dia bears S 80 W. 13 links dist; under a W Oak 7 n
 n n N 27 E. 4 n n
 80.00 Set a post for cor to Sec. 33 & 34 T 3 N.R. N^o 177
 under for Sec. 30 & 4 T N^o 2 N.R. N^o 177. From which
 an W Oak 12 in dia bears S 88 W 30 links dist; & a
 Mulberry 4 n n n N 53 E. 15 n n
 Lands 2nd rate hills Timber Oak some Gum
 Ash, Buck & Apple

West Between Towns 2 & 3. N.R. N^o 177 Sec. 4 & 33
 40.00 To a B Oak 9 in dia which stands for cor to $\frac{1}{4}$ sec
 53.00 To a Good Spring near the height of Land
 80.00 Set a post for cor to Sec. 32 & 33 T N^o 3 N.R. N^o
 177 from which a Red Oak 12 in dia bears
 N 66 E 10 links dist; under a Sugar 10 n n n
 S 58 E. 22 n n Lands 1st rate hills Timber
 13 W Walnut; Sugar &c

West Between Towns N^o 2 & 3 N.R. N^o 177 + Sec.
 5 & 32
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Hickory
 12 in dia bears N 40 E. 15 links dist; & a
 7 n n n S 30 W. 9 n n

T N^o 2 NR N^o 17 2nd Min Ind^a.

80.00 Set a post for cor to det. 31. & 32 *T N^o 3 NR*
17. from which a Sugar 11 in dia bears N75W
32 miles dist; and also 7u - - N22E
15 u - Sando 3rd rate Oak & Hill lands

West Between Secs 2 & 3. NR. 17 & det 6. & 31

40.00 Set a post for cor to 74 sec from which a Sugar
 8 in dia bears S66E 26 miles dist; and a Beck
 7u - - North 30 u -

80.00 Set a post for cor to det. 31. 36 *T³ NR. 2 & 27*
 and det 1 & 6. *T³ NR. 3/1 & 27.*

Sando Private Mills; Bet N Walnut; Cherry Su-
gar Honey Loush

North Between Sec 14 & 15 T N^o 2 NR N^o 17

25.00 To a Poplar 8 in dia stands in the line

40.00 Set a post for cor to 74 sec from which a 77
 det 30 in dia bears N29E. 23 miles dist; & a
 Sugar 8 u - - S29W. 19 u -

80.00 To a Oak 11 in dia which it ends for cor to det
 10. 11. 14. & 15 *Sando Private Beck & Oak Hills*

North Between Sec 10 & 11 T N^o 2 NR N^o 17

40.00 To a Oak 9 in dia stands for cor to 74 sec

80.00 Set a post for cor to det. 2, 3, 10, 11 *T N^o 2 NR*
N^o 17 from which a Poplar 14 in dia bears
S8E. 13 miles dist; & a Mulberry 7u - -
N44E. 20 u - - Sando 2nd rate Oak

North Between Sec 2 & 3. T N^o 2 NR N^o 17

27.50 To a Oak 1.8 in dia stands in the line

40.00 Set a post for cor to 74 sec from which a Sugar
 8 in dia bears N45E. 13 miles dist; & a Hickory
 11u - - S45W 22 u -

80.10 Intersected N Boundary of *T N^o 2 NR N^o 17*
 at the post det for cor to det. 2 & 3. & at cor off det.

73
59

T N^o 2 N.R. N^o 17 2nd ed. Mur Ind^a.

34 & 35 T N^o 3 N.R. N^o 17
Lands 2nd ed rate Hills

East From the post cor of sec. 10, 11, 14, & 15 between sec.
11 & 14

40.00 Set a post for cor to $\frac{1}{4}$ sec from which a W Oak 24
in dia bears S 84 E 40 links dist; & a T Buck 12
" " " N 70 W 32 " "

76.50 Set a post for cor to sec. 11, 12, 13 & 14 T N^o 2 N.R.
N^o 17. From which a Buck 14 in dia bears S 9 W
22 links dist; and also Elm 7 " " " N 19 W
19 " " " State Hill land; Timber Buck
made Poplar

West Between Sec. 10 & 15 T N^o 2 N.R. N^o 17

40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Poplar 5
in dia bears N 73 W 5 links dist; & a Sugar 14
" " " S 75 W 9 " "

80.00 Set a post for cor to sec. 9, 10, 15 & 16 T N^o 2 N.
R N^o 17. Lands made timber Same as last mile
Random fell N 80 W 00

West Between Sec. 9 & 16 T N^o 2 N.R. N^o 17

40.00 Set a post at aver dist; on true line for cor to $\frac{1}{4}$
sec from which a Buck 11 in dia bears S 24 E 8
links dist; and also Sugar 8 " " " N 71 E 13
" " "

80.22 To a post set for cor to sec. 8, 9, 16 & 17 T N^o 2 N.
R N^o 17. From which lands 2nd ed rate Hills
Timber Oak, &c Random fell N 78 S 00

North Between Sec. 9 & 10 T N^o 2 N.R. N^o 17

16.00 To a B Oak 4 in dia stands in the line

40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Buck 12 in
dia bears S 46 W 17 links dist; & a R. Buck 7 " "
" " " N 5 E 12 " "

T. N. 2 N. R. N. 1 W. 2nd Mer. Ind.

80.00 Set a post for cor to sec. 3, 4, 9, & 10 T. N. 2 N. R. N. 1 W.
 W from which a B. Walnut 20 mi dia bears S 35 E.
 15 links dist; & a R. 79 rods 7 a - - - N 3 W
 8 a - - - Lands 2nd rate Hills Timber
 Buck Oak & c

East Between Sec. 1 & 12 T. N. 2 N. R. N. 1 W
 24.00 Set a post for cor to sec. 1 & 12 from which a
 Sugar 10 mi dia bears stand for to sec. 1 & 12
 Lands and Timber same as the last mile

West Between Sec. 2 & 11 T. N. 2 N. R. N. 1 W
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Sugar
 7 mi dia bears N 70 W. 20 links dist; under B Walnut
 8 a - - - S 43 E. 18 a - -
 80.00 To the post set for 2, 3, 10 & 11 Lands 2nd rate
 Buck, W Walnut & c

West Between Sec. 3 & 10 T. N. 2 N. R. N. 1 W
 40.00 To a Hiding 9 mi dia stands for cor to $\frac{1}{4}$ sec
 80.00 To the post set for cor to sec. 3, 4, 9, & 10. T. N. 2 N.
 R. N. 1 W Lands 2nd rate Hills; Timber Buck
 Oak & c

West On Random Between Sec. 2 & 9 T. N. 2 N. R. 2
 40.36 Set a post for cor to $\frac{1}{4}$ sec at aver. dist on true line
 from which a Poplar 7 mi dia bears N 70 W. 18 links
 dist & a - - - - - S 64 E. 20 a - -
 80.72 Set post for cor sec. 4, 5, 8, & 9 T. N. 2 N. R. 1 W
 Lands and Timber same as the last mile.
 Random fell South 75 W

East On Random between Sec. 14 & 23. T. N. 2 N. R. 1 W
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a B Walnut
 24 mi dia bears N 89 E. 20 links dist; & a Buck
 11 a - - - S 56 W 30 a - -

T^N 2 N^R N^o 1 W 2nd Mer. Indiana

North Between Sec. 5 & 6 T^N 2 N^R N^o 1 W
 40.00 Set a post for cor to 1/4 sec from which a Post 11
 in line bears N 14 W. 29 links dist; to Sec 12
 " " " S 32 E. 14 " "
 80.17 To post on North Boundary of T^N 2 N^R N^o 1 W
 for cor to Sec. 5 & 6. T^N 2 N^R N^o 1 W. & Sec
 31 & 32 R^R N^o 1 W.

Grass and timber same as last mile

West Between Sec. 5 & 8 T^N 2 N^R N^o 1 W
 39.50 To a Spanish Oak 11 in line stands for to 1/4 sec
 79.00 To the post cor of Sec. 5, 6, 7, & 8
 Grass and timber same as above

West Between Sec. 19 & 30 T^N 2 N^R N^o 1 W
 37.00 To a Creek 2 ch. wide; Course N 59 W
 40.00 Set a post for cor to 1/4 sec from which a Post
 7 in line bears N 68 E 13 links dist; to Sec
 11 " " " N 60 W 30 " "
 68.00 Same Creek. Course South
 80.00 To a post set for cor to Sec. 19 & 30 T^N 2 N^R N^o 1 W
 under Sec. 24 & 25 T^N 2 N^R N^o 2 W
 Gravel 2nd rate hills; Timber Buck & some
 Oaks &c. Dec. 4. 1807
 Surveyed By Supper & Stone L. Surveyors

East On S. boundary of Sec. 36, T^N 3 N. R^o 1 W
 from q. Sec. post on S. side of Sec. 36
 40.10 Intersected the D. Mer. 400 lks. N. of Cor. to T^N 2, 3 N. R^o 1 E.
 Set post at said intersection from which
 a Gum 20 in. diam. bears N 70 W 11 lks. dist &
 a P. Oak 30 " " N 84 E 26 "

I certify that the foregoing transcript of the field
 notes of Township N^o 2 North of Range N^o 1 West
 of the 2nd Mer. Indiana, has been compared with the
 Original notes in the Office and found to be correct.
 Surveyor General's Office This mile over good
 Cincinnati, Nov. 16. 1839. Farming land, oak, Hickory, sugar
 Walnut &c. Surveyed by Arthur Henrie, L. S.

T2N R1W 2^d Mer. Indiana

77
63

ch. lns.

East On S. boundary of Sec. 34, T2N. R1W

40.00 Set q^r. Sec. post. from which
a Beech 10 in. diam. bear S59W 17 lns. dist. of
a do. 12 " " " N48W 10 " "

54.32 a Beech 10 " "

55.00 Intersected the E. boundary of the Vincennes
tract, set post Cor. to frac. Sec. 34, T2N. R1W, from which
a Beech 24 in. diam. bear N73W — lns. dist. of
a W. Walnut 10 " " " S60W 14 lns. "
Hilly 2^d. & 3^d. rate Beech Oak & Sugar

West On S. boundary of Sec. 33, T2N. R1W

24.42 a Beech 20 in. diam.

32.50 a Creek 60 lns. wide Course N.W.

40.00 a Beech 40 in. diam. Marked for q^r. Sec. Cor.

55.30 a Sugar 14. " "

80.00 Set post Cor. to Sec. 32 & 33, T2N. R1W, from which
a Beech 11 in. diam. bear N18E 17 lns. dist. of
a do. 15 " " " S16W 26 " "
Beech & Oak Hilly, some Chestnut 3^d. rate

West On S. boundary of Sec. 32, T2N. R1W

33.00 a Beech 18 in. diam.

40.00 Set q^r. Sec. post. from which
a Beech 26 in. diam. bear N54W 20 lns. dist. of
a do. 18 " " " S26W 39 " "

48.00 a Poplar 40 " "

80.00 Set post Cor. to Sec. 31 & 32, T2N. R1W, from which
a Beech 14 in. diam. bear S30E 18 lns. dist. of
a do. 21 " " " N70W 50 " "
Sand third rate Beech hilly.

West On S. boundary of Sec. 31, T2N. R1W

40.00 Set q^r. Sec. post. from which

T2N, R2W, T. 2nd Mer. Indiana

ch. lks.

a Beech 20 in. diam. bear N 39 E 29 lks. dist. of
 a Sugar 12 " " " N 48 E 13 " "
 62.00 a Creek 40 lks. wide Course N
 80.00 To Corner of Township N. 13, T. 2 N. Range N.
 13 West. The random line fell 200 lks. South
 Land 3^d rate Beech hills, Dec. 11th 1804.

West Boundary

North On E. boundary of Sec. 36, T2N, R2W
 16.50 a Creek 40 lks. wide Course N.W.
 26.65 a B. Oak 30 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 14 in. diam. bear S 63 E 16 lks. dist. of
 a Do. 10 " " " N 22 W 24 " "
 65.30 a Beech 12 " "
 80.00 Set post Cor. to Sec. 25 & 36, T2N, R2W, from which
 a Beech 8 in. diam. bear N 31 E 15 lks. dist. of
 a Do. 11 " " " N 69 W 16 " "
 Land Creek bottom, & 3^d rate hills, timber
 Beech & Oak.

North On E. boundary of Sec. 25, T2N, R2W

8.00 a Creek 90 lks. wide Course W.
 40.00 Set of Sec. post, from which
 a Beech 16 in. diam. bear S 77 W 10 lks. dist. of
 a Do. 12 " " " N 26 W 29 " "
 42.00 a Creek 75 lks. wide Course N.E.
 52.00 last named Creek Course W.
 80.00 Set post Cor. to Sec. 24 & 25, T2N, R2W, from which
 a Beech 12 in. diam. bear S 10 W 11 lks. dist. of
 a Poplar 10 " " " N 22 W 16 " "
 Upland 2^d rate, timber Beech &c

North On E. boundary of Sec. 24, T2N, R2W

T2N R2W, T. Mer. Indiana

725

ch. lbr.

- 17.78 a Beech 14 in. diam.
 40.00 Set of Sec. post, from which
 a Red Oak 12 in. diam. bear S 28 W 21 lbr. dist. of
 a Poplar 6 " " " N 38 E 13 " "
 59.00 a Beech 30 " "
 80.00 Set post Cor. to Sec. 13 of 24, T2N R2W, from which
 a Dogwood 12 in. diam. bear S 70 E 18 lbr. dist. of
 a Cherry tree 14 " " " S 89 W 18 " "
 Hilly 3rd rate, timber Beech, Oak, saplings, briar &c.

North On E. boundary of Sec. 13, T2N R2W

23.15 a Beech 16 in. diam.

40.00 a Sugar tree 9 in. diam. (Marked for of. Sec. Cor.)

49.50 line struck Creek & with it 100 lbr. bearing West

72.00 line cut bank of same Creek but did not cross it

80.00 a Beech 15 in. diam. (Marked for corner to
 Sec. 12 of 13, T2N R2W)

Land 2nd & 3rd rate Beech hilly.

North On E. boundary of Sec. 12, T2N R2W

24.00 a Beech 18 in. diam.

40.00 Set of Sec. post, from which

a Beech 12 in. diam. bear S 60 W 26 lbr. dist. of
 a Do. 18 " " " N 32 E 26 " "

70.50 a Sugar 12 " "

80.00 Set post Cor. to Sec. 1 & 12, T2N R2W, from which

a Beech 8 in. diam. bear S 9 W 19 lbr. dist. of
 a Do. 10 " " " N 25 W 11 " "

First rate Beech upland, sink holes

North On E. boundary of Sec. 1, T2N R2W

31.05 a W. Oak 14 in. diam.

40.00 Set of Sec. post, from which

a Sugar 10 in. diam. bear N 10 E 17 lbr. dist. of

T²S. R²W. Mer. IndianaCh^d. Ch^d.

a Dogwood 6 in. diam. bray S30 W 26 ch. dist. of
 57.32 a W. Oak 20 " "
 80.00 Set post cor. to Township 2 of 3 North, of Range
 1 of 2 West. (Note by the Surveyor) "Minutes taken
 with a pencil, in a wet day, and on a small piece
 of paper, and are so defaced that they cannot
 be read." First rate Beech upland, many
 sink-holes. December 13th. 1804
Surveyed by Supper & Stone, Dep^y. Surveyor

I certify that the foregoing transcript of field
 notes of Township N. 2. S. Range N. 1. West of
 T. Mer. Indiana, has been Comp^d. with the original
 notes in this Office, and found to be correct.

Surveyor General's Office
 Cincinnati, Nov. 16th. 1839

E. S. Rains
 Dec 9th 40